Google

Web Images Video News Maps more »

| Nikon luminance image pattern boundary intec | Search | Advanced Search
Preferences |

Web Results **1 - 10** of about **59** for **Nikon luminance image pattern boundary integer extraction measure 2**

Did you mean: Nikon luminance image pattern boundary **integral** extraction measure 2000

Scholarly articles for **Nikon luminance image pattern boundary integer extraction measure 2000**

Automatic morphometry of nerve histological sections - Romero - Cited by 9

[PDF] EXPERIMENTS IN **IMAGE** SEGMENTATION FOR AUTOMATIC US LICENSE PLATE ...
File Format: PDF/Adobe Acrobat - View as HTML
An **image** and its corresponding **luminance** histogram below it. To the ... Clustering is
useful in **image** segmentation and **pattern** recognition ...
scholar.lib.vt.edu/theses/available/etd-07022004-132444/unrestricted/BDA_ETD.pdf -
Similar pages

[PDF] Independent Components of Color Natural Scenes Resemble V1 Neurons ...
File Format: PDF/Adobe Acrobat
luminance values (L,M,S). To **measure** an IC's response to a color grating, ... **extraction**
from colour and stereo **images**. Network 11: 191-210, **2000**. ...
jn.physiology.org/cgi/reprint/00775.2003v1.pdf - Similar pages

Independent Components of Color Natural Scenes Resemble V1 Neurons ...
2000 Go for analysis of its effects). The raw **luminance** variation within our ... we took the
measurement at the **boundary**, which caused a slight narrowing of ...
jn.physiology.org/cgi/content/full/91/6/2859 - Similar pages

[PDF] Statistical Tools for Digital **Image** Forensics
File Format: PDF/Adobe Acrobat
periodic **patterns**. This method first warps a rectilinear **integer** lattice according to a ... 3008
× **2000** pixels in size, taken with a **Nikon** D100 camera. ...
www.cs.dartmouth.edu/~farid/publications/apthesis05.pdf - Similar pages

Optical method and system for rapid identification of multiple ...
1) is critical to producing useful interference **pattern images** for analysis and ... and 4. a
scatter plot of target size versus average **luminance** intensity. ...
www.freepatentsonline.com/20050126505.html - 91k - Cached - Similar pages

AUTOMATIC DETECTION OF CRITICAL DERMOSCOPY FEATURES FOR
MALIGNANT ...
Segmentation is done for an **image** of an optimized linear combination of the texture
measures to calculate the "optimized texture **luminance**" feature. ...
www.freepatentsonline.com/20060269111.html - 161k - Cached - Similar pages

[PDF] PII: S0165-0270(00)00167-9
File Format: PDF/Adobe Acrobat - View as HTML
97 (**2000**) 111–122. 120. Fig. 11. Sampling-**measurement** accuracy noise ratio. ... from
7.3% (all **boundary images** are in the same sub- ...
infoscience.epfl.ch/getfile.py?mode=best&recid=86754 - Similar pages

[PDF] Content-Based **Image** Retrieval Using Hand-Drawn Sketches and Local ...

File Format: PDF/Adobe Acrobat
Feature **Extraction** Through Region Segmentation and Region Merging. ... levels of the
multi-resolution wavelet transform of the **luminance image** [24]; ...
ethesis.unifr.ch/theses/downloads.php?file=BanfiF.pdf - Similar pages

[PDF] super-resolution from unregistered aliased **images**
File Format: PDF/Adobe Acrobat
patterns and jagged edges appear when an **image** is sampled at a too low ... chart for this
(see Figure 4.3(a)), and **measure** for each patch the **luminance** ...
biblion.epfl.ch/EPFL/theses/2006/3591/EPFL_TH3591.pdf - Similar pages

[PDF] Untitled
File Format: PDF/Adobe Acrobat - View as HTML
for cloud **measurement**. In the context of sky **luminance measurement**, the most well ...
Mark the outer **boundary** of the **image** with sky pixels. ...
www.cadplan.com.au/Reports/dsmreport.pdf - Similar pages

Did you mean to search for: Nikon luminance image pattern boundary *integral* extraction
measure 2000

Result Page: 1 2 3 4 5 6   **Next**

Nikon luminance image pattern bour | Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google

Google Scholar BETA

| Nikon luminance image pattern boundary extra | 1998 | - | 2000 | Search | Adv Scl Scl |

Scholar Results 1 - 4 of 4 for **Nikon** <u>luminance</u> <u>image</u> <u>pattern</u> <u>boundary</u> <u>extraction</u> <u>measure</u> <u>background</u>

All Results

F Mendels
C Heneghan
J Thiran
Y Chtioui
W Braje

Tip: Looking for pictures? Try <u>Google Images</u>

<u>Identification of the Optic Disk **Boundary** in Retinal Images Using Active Contours</u> - <u>group of 2 »</u>
F Mendels, C Heneghan, JP Thiran - Proceedings of the Irish Machine Vision and **Image** Processing ..., 1999 - ltswww.epfl.ch
... an excellent framework for detection of the optic disk **boundary**. ... I is defined in the x-y **image** plane, with I(x,y) denoting the value of **luminance** at position (x ...
<u>Cited by 16</u> - <u>Related Articles</u> - <u>View as HTML</u> - <u>Web Search</u>

<u>Invariant recognition of natural objects in the presence of shadows</u> - <u>group of 6 »</u>
WL Braje, GE Legge, D Kersten - Perception, 2000 - vision.psych.umn.edu
... Kodak Ektachrome 100 film), using a **Nikon** FM2 camera ... of shadows, although the results
reveal no clear **pattern**. ... was taken as 30% of the maximum **image luminance**. ...
<u>Cited by 10</u> - <u>Related Articles</u> - <u>View as HTML</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>Feature selection by a genetic algorithm. Application to seed discrimination by artificial vision</u> - <u>group of 3 »</u>
Y Chtioui, D Bertrand, D Barba - Journal of the Science of Food and Agriculture, 1998 - doi.wiley.com
... to adjust the magniÐcation (Nikkor AF, **Nikon**, Japan). ... from the histogram of the pixel **luminance** within the ... All these features were measured from binary **images** ...
<u>Cited by 29</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>Automatic morphometry of nerve histological sections</u> - <u>group of 6 »</u>
E Romero, O Cuisenaire, JF Denef, J Delbeke, B ... - Journal of Neuroscience Methods, 2000 - lts1pc19.epfl.ch
... **Images** were then digitized by a **Nikon** 25–1000 ... leads to smooth variations of the average
luminance in some ... found and false positive when an **image** feature is ...
<u>Cited by 9</u> - <u>Related Articles</u> - <u>View as HTML</u> - <u>Web Search</u>

| Nikon luminance image pattern boun | Search |

<u>Google Home</u> - <u>About Google</u> - <u>About Google Scholar</u>

©2007 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5659626".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:10
L2	1226	nikon.as. and image with pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 08:59
L3	5	nikon.as. and image with pixel and integer with field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:23
L4	0	nikon.as. and image with pixel and integer with boundary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:00
L5	19	nikon.as. and image with pixel and integer and boundary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 10:29
L6	5	nikon.as. and image with pixel and integer and boundary and set$4 with luminance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:04
L7	5	nikon.as. and image with pixel and integer and boundary and set$4 same luminance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:04
L8	973	image with pixel and integer and boundary and set$4 same luminance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:05

L9	0	image with pixel and integer and boundary and set$4 near luminance near image with pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:05
L10	4	image with pixel and integer and boundary and set$4 near luminance same image with pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:22
L11	4	image same pixel and integer and boundary and set$4 near luminance same image with pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:10
L12	2	"6521385".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:14
L13	2	"6803592".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:16
L14	0	"7184594".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:16
L15	4	image same pixel and integer and boundary and set$4 near luminance same image with pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:22
L16	16	image same pixel and integer and boundary and set$4 with luminance same image with pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 10:25

L17	11	fuji.as. and image with pixel and integer with field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:26
L18	2	fuji.as. and image with pixel and integer with field and (collection or group$3 or classif$6 or category) with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:27
L19	2	fuji.as. and image with pixel and integer with field and (collection or group$3 or classif$6 or category) with image and pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:29
L20	2	fuji.as. and image with pixel and integer with field and (collection or group$3 or classif$6 or category) with image and pattern and (calculat$6 or measur$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:38
L21	2	"6292190".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:38
L22	284	image same pixel and boundary same (pattern or calculat$4 or measur$6) and set$3 with luminance and image with pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 10:26
L23	8	image same pixel and boundary near (pattern or calculat$4 or measur$6) and set$3 with luminance and image near pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 10:26
L24	7	image same pixel and boundary near (pattern or calculat$4 or measur$6) and set$3 with luminance and image near pattern and (differential or delta or difference or variant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 10:28

EAST Search History

L25	19	nikon.as. and image with pixel and integer and boundary and background	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 10:29
L26	2	nikon.as. and image with pixel and integer and boundary and background and (peak or select$4 or identif$4 or find$4 or histogram) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 10:31
L27	33	nikon.as. and image with pixel and candidate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 10:31
L28	19	nikon.as. and image with pixel and candidate and (pattern or analysis or boundary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 10:32
L29	4	nikon.as. and image with pixel and candidate with (pattern or analysis or boundary) same (select$4 or identif$4 or threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 10:58
L30	4	nikon.as. and image with pixel and candidate with (pattern or analysis or boundary or frequency) same (select$4 or identif$4 or threshold) and background	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:00
L31	4	nikon.as. and image with pixel and candidate with (pattern or analysis or boundary or frequency) same (select$4 or identif$4 or threshold) and background and extract$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:05
L32	1	nikon.as. and image with pixel with pattern and candidate with (pattern or analysis or boundary or frequency) same (select$4 or identif$4 or threshold) and background with pattern and extract$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:07

L33	185	image with pixel with pattern and candidate with (pattern or analysis or boundary or frequency) same (select$4 or identif$4 or threshold) and background with pattern and extract$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:08
L34	168	image with pixel with pattern and candidate with (pattern or analysis or boundary or frequency) with (select$4 or identif$4 or threshold) and background with pattern and extract$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:10
L35	23	image with pixel with pattern and candidate with (pattern or analysis or boundary or frequency) with (select$4 or identif$4 or threshold) and background with pattern same extract$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:51
L36	27256	(match$4 or compar$4) with background pattern with extract$4 with image with luminance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:54
L37	27113	(match$4 or compar$4) with background pattern with extract$4 with image near luminance with set$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:55
L38	0	(match$4 or compar$4) with background with pattern with extract$4 with image near luminance with set$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:55
L39	0	(match$4 or compar$4) with background with pattern with extract$4 with image same luminance with set$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:56
L40	0	(match$4 or compar$4) with background with pattern with extract$4 with image same luminance same set$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:56

EAST Search History

L41	0	(match$4 or compar$4) with background with pattern same extract$4 with image same luminance same set$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 12:07
L42	1	(match$4 or compar$4) with background with pattern same extract$4 with image same luminance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 12:19
L43	3	(match$4 or compar$4) with background with pattern same extract$4 with image and luminance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 14:00
L44	0	382/200.ccls. and (wafer or background or plate or edge or paper) with pattern with boundary and image and luminance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 14:01
L45	0	382/200.ccls. and (wafer or background or plate or edge or paper) with pattern and boundary and image and luminance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 14:02
L46	0	382/200.ccls. and pattern and boundary and image and luminance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 14:02
L47	0	382/XXX.ccls. and pattern and boundary and image and luminance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 14:02
L48	0	382/x.ccls. and pattern and boundary and image and luminance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 14:07

EAST Search History

L49	1726	"382"/$.ccls. and pattern and boundary and image and luminance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 14:12
L50	258	"382"/$.ccls. and pattern with boundary and image and luminance and background	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 14:12
L51	34	"382"/$.ccls. and pattern with boundary and image and luminance and background with (siz$3 or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 14:20
L52	34	"382"/$.ccls. and pattern with boundary and image and luminance and background with (siz$3 or location) and (compar$4 or match$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 14:21
L53	4	"382"/$.ccls. and pattern with boundary and image and luminance and background with (siz$3 or location) and (compar$4 or match$4) and peak with (candidate or probability or histogram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 14:31